INDEX TO AUTHORS

BAIRD, R. D. See SMADEL, BAIRD, and WALL, 53

BAKER, LILLIAN E., and CARREL, ALEXIS. Artificial maintenance media for cell and organ cultivation. II. The cultivation of organs in artificial media, 29

—. See FOOT, BAKER, and CARREL, 39

BALE, W. F. See HAHN, BALE, HETTIG, KAMEN, and WHIPPLE, 443

BEESON, PAUL B., and GOEBEL, WALTHER F. The immunological relationship of the capsular polysaccharide of Type XIV pneumococcus to the blood group A specific substance, 239

BENNETT, GRANVILLE A., and SHAFFER, MORRIS F. The passage of proteins from the vascular system into joints and certain other body cavities, 277

—. See SHAFFER and BENNETT, 293

BERNHEIM, ALICE IDA. See PENNER and BERNHEIM, 453

BRAYTON, NANCY L. See TURNER and BRAYTON, 639

BUDDINGH, G. JOHN, and POLK, ALICE D. Experimental meningococcus infection of the chick embryo, 485

— and —. The pathogenesis of meningococcus meningitis in the chick embryo, 499

— and —. A study of passive immunity to meningococcus infection in the chick embryo, 511

CARREL, ALEXIS. See BAKER and CARREL, 29

—. See FOOT, BAKER, and CARREL, 39

CATTANEO, CARLO. See DUBOS and CATTANEO, 249

CHARIPPER, HARRY A. See GORDON, KLEINBERG, and CHARIPPER, 333

COGGESHALL, L. T. See EATON and COGGESHALL, 131, 141

COMPLOIER, FRANK C. See SCHWENTKER and COMPLOIER, 223

DALLDORF, GILBERT. The simultaneous occurrence of the viruses of canine distemper and lymphocytic choriomeningitis. A correction of "Canine distemper in the *rhesus* monkey," 19

DRINKER, CECIL K. See YOFFEY and DRINKER, 83

DUBOS, RENÉ J. Studies on a bactericidal agent extracted from a soil bacillus. I. Preparation of the agent. Its activity *in vitro*, 1

—. II. Protective effect of the bactericidal agent against experimental pneumococcus infections in mice, 11

— and CATTANEO, CARLO. Studies on a bactericidal agent extracted from a soil bacillus. III. Preparation and activity of a protein-free fraction, 249

EATON, MONROE D., and COGGESHALL, L. T. Immune response of rabbits to injection of *Plasmodium knowlesi*, 131

— and —. Production in monkeys of complement-fixing antibodies without active immunity by injection of killed *Plasmodium knowlesi*, 141

ECKER, E. E. See PILLEMER, ECKER, and MARTIENSEN, 387

EICHELBERGER, LILLIAN. See HUGGINS, MASINA, EICHELBERGER, and WHARTON, 543

ENDERS, JOHN F. See HAMMON and ENDERS, 557

FARR, LEE E., and SMADEL, JOSEPH E. The effect of dietary protein on the course of nephrotoxic nephritis in rats, 615
FLEMING, WILLIAM L. See TURNER and FLEMING, 629
FOOT, N. CHANDLER, BAKER, LILLIAN E., and CARREL, ALEXIS. The behavior of abnormal human thyroid tissue cultivated in the Lindbergh apparatus, 39

GOEBEL, WALTHER F. See BEESON and GOEBEL, 239
GOLDBLATT, HARRY. See GYÖRGY and GOLDBLATT, 185
GORDON, ALBERT S., KLEINBERG, WILLIAM, and CHARIPPER, HARRY A. The reticulo-endothelial system and hormone refractoriness, 333
GREENE, HARRY S. N. Familial mammary tumors in the rabbit. I. Clinical history, 147
—. II. Gross and microscopic pathology, 159
—. III. Factors concerned in their genesis and development, 167
GYÖRGY, PAUL, and GOLDBLATT, HARRY. Hepatic injury on a nutritional basis in rats, 185

HAHN, P. F., BALE, W. F., HETTIG, R. A., KAMEN, M. D., and WHIPPLE, G. H. Radioactive iron and its excretion in urine, bile, and feces, 443
HAMMON, WILLIAM D., and ENDERS, JOHN F. Further studies on the blood and hematopoietic tissues in malignant panleucopenia of cats, 557
HEHRE, EDWARD J. See NEILL, HEHRE, SUGG, and JAFFE, 427
HETTIG, R. A. See HAHN, BALE, HETTIG, KAMEN, and WHIPPLE, 443
HODES, HORACE L. See WEBSTER and HODES, 193
HORSFALL, FRANK L., JR. Neutralization of epidemic influenza virus. The linear relationship between the quantity of serum and the quantity of virus neutralized, 209
HUGGINS, CHARLES, MASINA, M. H., EICHELBERGER, LILLIAN, and WHARTON, JAMES D. Quantitative studies of prostatic secretion. I. Characteristics of the normal secretion; the influence of thyroid, suprarenal, and testis extirpation and androgen substitution on the prostatic output, 543

JAFFE, EVELYN. See NEILL, HEHRE, SUGG, and JAFFE, 427
JUNGEBLUT, CLAUS W. A further contribution to vitamin C therapy in experimental poliomyelitis, 315

KAMEN, M. D. See HAHN, BALE, HETTIG, KAMEN, and WHIPPLE, 443
KIDD, JOHN G. The masking effect of extravasated antibody on the rabbit papilloma virus (Shope), 583
KING, LESTER S. Encephalopathy following injections of bone marrow extract, 303
KLEINBERG, WILLIAM. See GORDON, KLEINBERG, and CHARIPPER, 333
KNUTTI, RALPH E. See YUILE and KNUTTI, 605

LINDBERGH, C. A. A culture flask for the circulation of a large quantity of fluid medium, 231
LONGSWORTH, LEWIS G., SHEDLOVSKY, THEODORE, and MACINNES, DUNCAN A. Electrophoretic patterns of normal and pathological human blood serum and plasma, 399
LORBER, VICTOR. Lung edema following bilateral vagotomy. Studies on the rat, guinea pig, and rabbit, 117
LUCKÉ, BALDUIN. Characteristics of frog carcinoma in tissue culture, 269
— and SCHLUMBERGER, H. The manner of growth of frog carcinoma, studied by direct microscopic examination of living intraocular transplants, 257

MacFADYEN, Douglas A., and Murphy, James B. A method for the study of induced interference with transplantable tissue growth, 461
—, Sturm, Ernest, and Murphy, James B. Inhibition of transplantable mouse tumor growth by tissue extracts and their protein fractions, 475
MacInnes, Duncan A. See Longsworth, Shedlovsky, and MacInnes, 399
Martiensen, E. W. See Pillemer, Ecker, and Martiensen, 387
Masina, M. H. See Huggins, Masina, Eichelberger, and Wharton, 543
Minard, David. See Rosenthal and Minard, 415
Murphy, James B. See MacFadyen and Murphy, 461
—. See MacFadyen, Sturm, and Murphy, 475

NEILL, James M., Hehre, Edward J., Sugg, John Y., and Jaffe, Evelyn. Serological studies on sugar. I. Reactions between solutions of reagent sucrose and Type II antipneumococcus serum, 427
Nelson, John B. The behavior of pox viruses in the respiratory tract. II. The response of mice to the nasal instillation of variola virus, 107

OLITSKY, Peter K. Experimental studies on the virus of infectious avian encephalomyelitis, 565

PAGE, Irvine H. On the nature of the pressor action of renin, 521
Penner, Abraham, and Bernheim, Alice Ida. Experimental production of digestive tract ulcerations, 453
Pickels, Edward G. See Smadel, Rivers, and Pickels, 379
Pillemer, L., Ecker, E. E., and Martiensen, E. W. The specificity of kerateine derivatives, 387
Polk, Alice D. See Buddingh and Polk, 485, 499, 511

RIVERS, Thomas M. See Smadel, Rivers, and Pickels, 379
Rosenthal, Sol Roy, and Minard, David. Experiments on histamine as the chemical mediator for cutaneous pain, 415

SABIN, Florence R. Cellular reactions to a dye-protein with a concept of the mechanism of antibody formation, 67
Schlumberger, H. See Lucké and Schlumberger, 257
Schwentker, Francis F., and Comploier, Frank C. The production of kidney antibodies by injection of homologous kidney plus bacterial toxins, 223
Seastone, C. V. Hemolytic streptococcus lymphadenitis in guinea pigs, 347
—. The virulence of group C hemolytic streptococci of animal origin, 361
Shaffer, Morris F., and Bennett, Granville A. The passage of Type III rabbit virulent pneumococci from the vascular system into joints and certain other body cavities, 293
—. See Bennett and Shaffer, 277
Shedlovsky, Theodore. See Longsworth, Shedlovsky, and MacInnes, 399
Smadel, Joseph E., Baird, R. D., and Wall, M. J. A soluble antigen of lymphocytic choriomeningitis. I. Separation of soluble antigen from virus, 53
—, Rivers, Thomas M., and Pickels, Edward G. Estimation of the purity of preparations of elementary bodies of vaccinia, 379
—. See Farr and Smadel, 615
Sturm, Ernest. See MacFadyen, Sturm, and Murphy, 475
Sugg, John Y. See Neill, Hehre, Sugg, and Jaffe, 427

TURNER, THOMAS B., and BRAYTON, NANCY L. Factors influencing the survival of spirochetes in the frozen state, 639
— and FLEMING, WILLIAM L. Prolonged maintenance of spirochetes and filtrable viruses in the frozen state, 629

WALL, M. J. See SMADEL, BAIRD, and WALL, 53
WEBSTER, LESLIE T. A mouse test for measuring the immunizing potency of antirabies vaccines, 87
— and HODES, HORACE L. Rôle of inborn resistance factors in mouse populations infected with *Bacillus enteritidis*, 193
WHARTON, JAMES D. See HUGGINS, MASINA, EICHELBERGER, and WHARTON, 543
WHIPPLE, G. H. See HAHN, BALE, HETTIG, KAMEN, and WHIPPLE, 443

YOFFEY, JOSEPH M., and DRINKER, CECIL K. Poliomyelitis and the lymphatic apparatus, 83
YUILE, CHARLES L., and KNUTTI, RALPH E. Blood plasma proteins as influenced by intravenous injection of gum acacia. II. Production of chronic hypoproteinemia, 605

INDEX TO SUBJECTS

ADRENAL. *See* Suprarenal.
Androgen substitution after thyroid, suprarenal, and testis extirpation, influencing prostatic secretion output, 543
Antibodies, complement-fixing, production in monkeys, without active immunity, by killed *Plasmodium knowlesi* injection, 141
—, kidney, production by homologous kidney plus bacterial toxin injection, 223
Antibody, extravasated, masking effect on Shope rabbit papilloma virus, 583
— formation, concept of mechanism, 67
Antigen, soluble, of lymphocytic choriomeningitis, separation from virus, 53
Antipneumococcus Type II serum and reagent sucrose solutions, reactions, 427
Antirabies vaccines, immunizing potency, mouse test, 87
Avian encephalomyelitis virus, infectious, 565

BACILLUS *enteritidis* in mouse populations, rôle of inborn resistance factors, 193
—, soil, bactericidal agent extracted from, preparation and activity *in vitro*, 1
—, soil, bactericidal agent extracted from, preparation and activity of protein-free fraction, 249
—, soil, bactericidal agent extracted from, protective effect against pneumococcus infections in mice, 11
Bacterial toxins plus homologous kidney, injection producing kidney antibodies, 223
Bactericidal agent extracted from soil bacillus, preparation and activity of protein-free fraction, 249
Bactericidal agent extracted from soil bacillus, preparation of agent and activity *in vitro*, 1
— agent extracted from soil bacillus, protective effect against pneumococcus infections in mice, 11
Bile, urine, and feces, radioactive iron excretion, 443
Blood group A specific substance, and pneumococcus Type XIV capsular polysaccharide, immunological relationship, 239
— and hematopoietic tissues, malignant panleucopenia of cats, 557
— plasma. *See* Plasma.
— serum. *See* Serum.
Bodies, elementary, of vaccinia, purity of preparations, 379
Body cavities and joints, protein passage from vascular system into, 277
— cavities and joints, virulent pneumococci Type III passage from vascular system into, 293
Bone marrow extract injections producing encephalopathy, 303

CARCINOMA, frog, growth, direct microscopic examination of living intraocular transplants, 257
—, frog, in tissue culture, 269
Cell and organ cultivation, artificial maintenance media, 29
Cellular reactions to dye-protein with concept of mechanism of antibody formation, 67
Chemical mediator for cutaneous pain, histamine, 415
Choriomeningitis, lymphocytic, soluble antigen, separation from virus, 53
—, lymphocytic, virus, and canine distemper virus, simultaneous occurrence, 19

Complement-fixing antibody production in monkeys, without active immunity, by killed *Plasmodium knowlesi* injection, 141
Cultivation, abnormal human thyroid tissue in Lindbergh apparatus, behavior, 39
—, cell and organ, in artificial maintenance media, 29
— flask for circulation of large quantity of fluid medium, 231
—, tissue, frog carcinoma, 269
Cutaneous pain, histamine as chemical mediator, 415

DIETARY protein affecting course of nephrotoxic nephritis, 615
Digestive tract ulcerations, production, 453
Distemper, canine, virus, and lymphocytic choriomeningitis virus, simultaneous occurrence, 19
Dye-protein, cellular reactions to, with concept of mechanism of antibody formation, 67

EDEMA, lung, following bilateral vagotomy in rat, guinea pig, and rabbit, 117
Electrophoretic patterns, normal and pathological human serum and plasma, 399
Embryo, chick, meningococcus infection, 485
—, chick, meningococcus infection, passive immunity, 511
—, chick, meningococcus meningitis, pathogenesis, 499
Encephalomyelitis virus, avian, infectious, 565
Encephalopathy following bone marrow extract injections, 303
Epidemic influenza virus, neutralized, quantity, and quantity of serum, relationship, 209
Excretion of radioactive iron in urine, bile, and feces, 443

FAMILY mammary tumors in rabbit, clinical history, 147
— mammary tumors in rabbit, factors in genesis and development, 167
Family mammary tumors in rabbit, gross and microscopic pathology, 159
Feces, urine, and bile, radioactive iron excretion, 443
Filtrable viruses and spirochetes, prolonged maintenance in frozen state, 629
Flask, culture, for circulation of large quantity of fluid medium, 231

GUM acacia, intravenous injection, influence on plasma proteins, in production of chronic hypoproteinemia, 605

HEMATOPOIETIC tissues and blood, malignant panleucopenia of cats, 557
Hemolytic streptococci, group C, of animal origin, virulence, 361
— streptococcus lymphadenitis in guinea pigs, 347
Histamine as chemical mediator for cutaneous pain, 415
Homologous kidney plus bacterial toxins, injection producing kidney antibodies, 223
Hormone refractoriness and reticuloendothelial system, 333
Human serum and plasma, normal and pathological, electrophoretic patterns, 399
— thyroid tissue, abnormal, cultivated in Lindbergh apparatus, behavior, 39
Hypoproteinemia, chronic, produced by intravenous gum acacia injection, 605

IMMUNE response to *Plasmodium knowlesi* injection, 131
Immunity, active, not produced with complement-fixing antibodies in monkeys by killed *Plasmodium knowlesi* injection, 141
—, passive, meningococcus infection in chick embryo, 511
Immunizing potency of antirabies vaccines, mouse test, 87

Immunological relationship, pneumococcus Type XIV capsular polysaccharide and blood group A specific substance, 239
Influenza virus, epidemic, neutralized, quantity, and quantity of serum, relationship, 209
Injection, homologous kidney plus bacterial toxins, producing kidney antibodies, 223
—, intravenous, gum acacia, influence on plasma proteins, in production of chronic hypoproteinemia, 605
—, killed *Plasmodium knowlesi*, in monkeys, producing complement-fixing antibodies without active immunity, 141
—, *Plasmodium knowlesi*, immune response, 131
Injections, bone marrow extract, producing encephalopathy, 303
Intraocular living transplants of frog carcinoma, direct microscopic examination, 257
Iron, radioactive, excretion in urine, bile, and feces, 443

JOINTS and other body cavities, protein passage from vascular system into, 277
— and other body cavities, virulent pneumococci Type III passage from vascular system into, 293

KERATEINE derivatives, specificity, 387
Kidney antibody production by homologous kidney plus bacterial toxin injection, 223

LEUCOPENIA, pan-, malignant, cat, blood and hematopoietic tissues, 557
Lindbergh apparatus, behavior of abnormal human thyroid tissue cultivated in, 39
Liver injury on nutritional basis in rats, 185
Lung edema following bilateral vagotomy in rat, guinea pig, and rabbit, 117
Lymphadenitis, hemolytic streptococcus, in guinea pigs, 347
Lymphatic apparatus and poliomyelitis, 83
Lymphocytic choriomeningitis, soluble antigen, separation from virus, 53
— choriomeningitis virus, and canine distemper virus, simultaneous occurrence, 19

MALIGNANT panleucopenia, cat, blood and hematopoietic tissues, 557
Mammary tumors, familial, in rabbit, clinical history, 147
— tumors, familial, in rabbit, factors in genesis and development, 167
— tumors, familial, in rabbit, gross and microscopic pathology, 159
Marrow. *See* Bone marrow.
Media, artificial maintenance, for cell and organ cultivation, 29
Medium, fluid, large quantity, culture flask for circulation, 231
Meningitis, chorio-, lymphocytic, soluble antigen, separation from virus, 53
—, chorio-, lymphocytic, virus, and canine distemper virus, simultaneous occurrence, 19
—, meningococcus, chick embryo, pathogenesis, 499
Meningococcus infection, chick embryo, 485
— infection, chick embryo, passive immunity, 511
— meningitis, chick embryo, pathogenesis, 499

NASAL instillation of variola virus, response of mice, 107
Nephritis, nephrotoxic, course, effect of dietary protein, 615
Nephrotoxic nephritis, course, effect of dietary protein, 615
Nutritional basis of hepatic injury in rats, 185

ORGAN and cell cultivation, artificial maintenance media, 29

PANLEUCOPENIA, malignant, cat, blood and hematopoietic tissues, 557
Papilloma, rabbit, Shope, masking effect of extravasated antibody on virus, 583
Pathogenesis, meningococcus meningitis in chick embryo, 499
Pathological and normal human serum and plasma, electrophoretic patterns, 399
Pathology, gross and microscopic, of familial mammary tumors in rabbit, 159
Plasma proteins influenced by intravenous gum acacia injection, in production of chronic hypoproteinemia, 605
— and serum, human, normal and pathological, electrophoretic patterns, 399
Plasmodium knowlesi injection, immune response, 131
— *knowlesi*, killed, injection in monkeys producing complement-fixing antibodies without active immunity, 141
Pneumococci Type III, virulent, passage from vascular system into joints and other body cavities, 293
Pneumococcus infections in mice, protective effect of bactericidal agent extracted from soil bacillus, 11
— Type XIV capsular polysaccharide, and blood group A specific substance, immunological relationship, 239
Poliomyelitis and lymphatic apparatus, 83
—, vitamin C therapy, 315
Polysaccharide, capsular, pneumococcus Type XIV, and blood group A specific substance, immunological relationship, 239
Pox viruses, behavior in respiratory tract, variola virus nasally instilled, 107
Pressor action of renin, 521
Prostatic secretion output, influence of thyroid, suprarenal, and testis extirpation and androgen substitution, 543
Protein, dietary, affecting course of nephrotoxic nephritis, 615
— fractions of tissue extracts inhibiting transplantable tumor growth, 475
— passage from vascular system into joints and other body cavities, 277
Protein-dye, cellular reactions to, with concept of mechanism of antibody formation, 67
Proteinemia, hypo-, chronic, produced by intravenous gum acacia injection, 605
Protein-free fraction of bactericidal agent from soil bacillus, preparation and activity, 249
Proteins, plasma, influenced by intravenous gum acacia injection, in production of chronic hypoproteinemia, 605

RABIES, anti-, vaccines, immunizing potency, mouse test, 87
Radioactive iron excretion in urine, bile, and feces, 443
Renin, pressor action, 521
Resistance factors, inborn, rôle in mouse populations infected with *Bacillus enteritidis*, 193
Respiratory tract, behavior of pox viruses, variola virus nasally instilled, 107
Reticulo-endothelial system and hormone refractoriness, 333

SECRETION, prostatic, output, influence of thyroid, suprarenal, and testis extirpation and androgen substitution, 543
Serology, sugar, reactions between reagent sucrose solutions and antipneumococcus Type II serum, 427
Serum, antipneumococcus Type II, and reagent sucrose solutions, reactions, 427
— and plasma, human, normal and pathological, electrophoretic patterns, 399
—, quantity, and quantity of neutralized epidemic influenza virus, relationship, 209

Shope rabbit papilloma, masking effect of extravasated antibody on virus, 583
Soil bacillus, bactericidal agent extracted from, preparation and activity *in vitro*, 1
— bacillus, bactericidal agent extracted from, preparation and activity of protein-free fraction, 249
— bacillus, bactericidal agent extracted from, protective effect against pneumococcus infections in mice, 11
Specific substance, blood group A, and pneumococcus Type XIV capsular polysaccharide, immunological relationship, 239
Specificity, kerateine derivatives, 387
Spirochetes and filtrable viruses, prolonged maintenance in frozen state, 629
—, survival in frozen state, 639
Streptococci, group C hemolytic, of animal origin, virulence, 361
Streptococcus, hemolytic, lymphadenitis in guinea pigs, 347
Sucrose, reagent, solutions, and antipneumococcus Type II serum, reactions, 427
Sugar, serology, reagent sucrose solutions and antipneumococcus Type II serum, reactions, 427
Suprarenal, thyroid, and testis extirpation and androgen substitution influencing prostatic secretion output, 543

TESTIS, thyroid, and suprarenal extirpation and androgen substitution influencing prostatic secretion output, 543
Therapy, vitamin C, in poliomyelitis, 315
Thyroid, suprarenal, and testis extirpation and androgen substitution influencing prostatic secretion output, 543
— tissue, human, abnormal, cultivated in Lindbergh apparatus, behavior, 39
Tissue culture, frog carcinoma, 269
Tissue extracts and their protein fractions inhibiting transplantable tumor growth, 475
—, thyroid, human, abnormal, cultivated in Lindbergh apparatus, behavior, 39
—, transplantable, induced interference with growth, 461
Tissues, hematopoietic, and blood, malignant panleucopenia of cats, 557
Toxins, bacterial, plus homologous kidney, injection producing kidney antibodies, 223
Transplantable tissue growth, induced interference, 461
— tumor growth, inhibition by tissue extracts and their protein fractions, 475
Transplants, living, intraocular, of frog carcinoma, direct microscopic examination, 257
Tumor, transplantable, growth inhibited by tissue extracts and their protein fractions, 475
Tumors, mammary, familial, in rabbit, clinical history, 147
—, mammary, familial, in rabbit, factors in genesis and development, 167
—, mammary, familial, in rabbit, gross and microscopic pathology, 159

ULCERATIONS, digestive tract, production, 453
Urine, bile, and feces, radioactive iron excretion, 443

VACCINES, antirabies, immunizing potency, mouse test, 87
Vaccinia bodies, elementary, purity of preparations, 379
Vagotomy, bilateral, followed by lung edema in rat, guinea pig, and rabbit, 117
Variola virus, nasal instillation, response of mice to, 107
Vascular system, protein passage into joints and other body cavities from, 277
— system, virulent pneumococci Type III passage into joints and other body cavities from, 293

Virulence, group C hemolytic streptococci of animal origin, 361
Virulent pneumococci Type III passage from vascular system into joints and other body cavities, 293
Virus, encephalomyelitis, avian, infectious, 565
—, epidemic influenza, neutralized, quantity, and quantity of serum, relationship, 209
—, lymphocytic choriomeningitis, separation of soluble antigen from, 53
Virus, Shope rabbit papilloma, masking effect of extravasated antibody, 583
Viruses, canine distemper and lymphocytic choriomeningitis, simultaneous occurrence, 19
—, filtrable, and spirochetes, prolonged maintenance in frozen state, 629
—, pox, behavior in respiratory tract, variola virus nasally instilled, 107
Vitamin C therapy in poliomyelitis, 315